



roots  1975

the
WEAVERBIRD
COLLECTION



WEAVERBIRD

weaverbirdco.com

hello@weaverbirdco.com

showroom : 2732 east coast highway

corona del mar, ca 92625


Vo. 7

Tropideck : Exotic Hardwood



The Tropideck Collection

Nusku Tropideck is our exotic hardwood decking line focused on durable & dense solutions that have a proven track record. This line also includes a naturally Class A Fire rated decking product.



Tropideck Collection : Red Balau : No Finish

Product Description

Species: Red Balau

Grade: FAS KD

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling

Product Specifications

Nominal Thickness: 1x, 5/4, 2x

Nominal Width: 3", 4", 6"

Length: 8-16' heavy even lengths

Pattern: S4S, Grooved, T&G, Shiplap

Texture: Smooth

Finish: No Finish

Bending Strength: 17730 psi

Janka Hardness: 1600 lbs

Density: 53 lbs/ft³

Applications

Nusku Tropideck is most commonly used for exterior decking, fencing & siding applications. It offers a clean finished appearance with our FAS grade which doesn't allow knots. We also focus on KD lumber which delivers our clients a more stable material.

Maintenance & Resistance


Nusku Tropideck can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Tropideck Collection

Nusku Tropideck is our exotic hardwood decking line focused on durable & dense solutions that have a proven track record. This line also includes a naturally Class A Fire rated decking product.



Tropideck Collection : Yellow Balau : No Finish

Product Description

Species: Yellow Balau

Grade: FAS KD

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling

Product Specifications

Nominal Thickness: 1x, 5/4, 2x

Nominal Width: 3", 4", 6"

Length: 8-16' heavy even lengths

Pattern: S4S, Grooved, T&G, Shiplap

Texture: Smooth

Finish: No Finish

Bending Strength: 20950 psi

Janka Hardness: 1798 lbs

Weight: 2.95 lb/per BF

Applications

Nusku Tropideck is most commonly used for exterior decking, fencing & siding applications. It offers a clean finished appearance with our FAS grade which doesn't allow knots. We also focus on KD lumber which delivers our clients a more stable material.

Maintenance & Resistance

Nusku Tropideck can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.

